

Locks

The last Shared Data example had 10 processes each incrementing a shared variable 10 times. The final value of the variable should be 100 greater than its starting value but it almost never is. Several processes each read the value of the variable, perhaps this is 55, and they each write the next value, 56, into it. Instead of incrementing the variable they are overwriting its value.

Imagine what would happen if deposits to a bank account worked this way -- you start with \$50, deposit \$100 and then deposit \$25 and find that your final balance is only \$75. If we are going to write programs where processes share data we need to have some way to guarantee data integrity.

There are several solutions to this. We are going to use a simple solution called a Lock. Lock is a class in the multiprocessing module. The constructor takes no arguments, so we create a lock with `Lock()`.

There are only two methods for the Lock class: `acquire()` and `release()`. Acquiring the lock puts it in its locked state; releasing it unlocks it.

The important thing about a lock is that when a process tries to acquire it, the process is put on hold until the lock becomes available. So if a function has code

```
    blah blah
```

```
    lock.acquire( )
```

```
        critical section
```

```
    lock.release( )
```

then only one process at a time can execute the critical section. Every other process that wants to execute this section has to wait until the lock is released so they can acquire it.

To make this work we generally create the lock outside of the function and pass it in as an argument. For example, the function that increments a shared variable `i` might be

```
def F(r, lock):  
    for i in range(0, 10):  
        lock.acquire()  
        r.value = r.value + 1  
        print( "Process %d set r to %d" %  
              (current_process().pid, r.value))  
        lock.release()
```

We need to be careful to match acquisitions and releases of locks. This code will never finish running:

```
def F(r, lock):
    for i in range(0, 10):
        lock.acquire()
        r.value = r.value + 1
        print( "Process %d set r to %d" % (current_process().pid,r.value))
    lock.release()
```

Why not???