

# Constructors

There is one more element to a typical class definition -- the constructor method.

Consider the following program:

```
class Person:
    def setName( self, myName):
        self.name = myName

def main():
    x = Person()
    x.setName( "bob" )
    print( x.name )
    y = Person()
    print( y.name )
```

This crashes on the call to `print y.name` because variable name for object `y` hasn't been created; it is only created when the `setName( )` method is called.

This is unacceptable; we don't want the instance variables of an object to exist only when methods are called in the right order.

Instead of this, almost all classes use a "constructor method".  
The job of a constructor is to give initial values to each of the instance variables of the class.

In Python, the constructor method has the (weird) name  
`__init__( self, ... )`

This is the function that is called when we construct new object (remember that is done by using the class name as a function).

The constructor method is allowed to take arguments in addition to self. For example, a constructor method for a class Person that has instance variables name and age might be

```
def __init__(self, myName ):
    self.name = myName
    self.age = 0
```

The call that constructs a new object needs to give a value for each parameter of `__init__( )` other than self.

For example with the constructor above we would create a new Person with

```
x = Person( "bob" )
```

Consider ProgramA. What will it print?

- A. Nothing
- B. It gets an error message
- C. 1

Consider ProgramB. What will it print?

- A. Nothing
- B. It gets an error message
- C. 1