


# How Grammars Affect Languages

We would like to use grammars for *evaluating* strings in a language.  
For example,  $3+4*5$  might have a parse tree such as




A simple recursive function evaluates this tree to determine the value 23 for  $3+4*5$ .


Like every good thing there are potential problems with this. Consider the grammar

$$E \Rightarrow E + E \mid E * E \mid (E) \mid E \text{ digit} \mid \text{digit}$$

This gives two different parse trees for  $3+4*5$  and those lead to different values for the expression:



Value = 23



Value = 35

A grammar is called *ambiguous* if it produces two different parse trees for the same string. Ambiguity is bad; it prevents us from using parse trees to evaluate strings.

The grammar  $E \Rightarrow E+E \mid E * E \mid (E) \mid E \text{ digit} \mid \text{digit}$  is ambiguous.

The grammar

$$E \Rightarrow E+T \mid T$$
$$T \Rightarrow T * F \mid F$$
$$F \Rightarrow (E) \mid G$$
$$G \Rightarrow G \text{ digit} \mid \text{digit}$$

unambiguously describes the same language.

To show that the grammar

$$E \Rightarrow E+T \mid T$$

$$T \Rightarrow T*F \mid F$$

$$F \Rightarrow (E) \mid G$$

$$G \Rightarrow G \text{ digit} \mid \text{digit}$$

is unambiguous we do induction on the number of  $+/*$  operators in the string being parsed. This is certainly true if there is only one operator. Suppose it is true for all strings with  $n$  operators and  $\alpha$  has  $n+1$ , and that the grammar has two parse trees for  $\alpha$ . At some point there must be an instance where one parse tree uses the rule  $E \Rightarrow E+T$  and the other tree uses  $E \Rightarrow T \Rightarrow T*F$ . If the  $+$  comes before  $*$  in  $\alpha$  then the  $T$  in  $T*F$  must derive a  $+$ , which it can't. If the  $*$  comes before  $+$  in  $\alpha$  then the  $F$  in  $T*F$  must derive a  $+$ , which it can't. Either way the second parse fails.

The difference between the grammars

$$E \Rightarrow E + E \mid E * E \mid (E) \mid E \text{ digit} \mid \text{digit}$$

and

$$E \Rightarrow E + T \mid T$$
$$T \Rightarrow T * F \mid F$$
$$F \Rightarrow (E) \mid G$$
$$G \Rightarrow G \text{ digit} \mid \text{digit}$$



is that the latter grammar is hierarchical; operators appear in a specific order within the grammar rules.

The problem of determining whether a given grammar is ambiguous is undecidable.

There are languages that are inherently ambiguous -- every grammar for the language is ambiguous. The problem of determining whether a given language is inherently ambiguous is also undecidable.

Consider again the string 3+4\*5 and its parse trees under the grammars

$E \Rightarrow E+T \mid T$   
 $T \Rightarrow T * F \mid F$   
 $F \Rightarrow (E) \mid G$   
 $G \Rightarrow G \text{ digit} \mid \text{digit}$



$E \Rightarrow E * T \mid T$   
 $T \Rightarrow T + F \mid F$   
 $F \Rightarrow (E) \mid G$   
 $G \Rightarrow G \text{ digit} \mid \text{digit}$



The grammar

$$E \Rightarrow E+T \mid T$$

$$T \Rightarrow T * F \mid F$$

$$F \Rightarrow (E) \mid G$$

$$G \Rightarrow G \text{ digit} \mid \text{digit}$$

has  $*$  lower in the hierarchy than  $+$  and gives multiplication precedence over addition. The grammar

$$E \Rightarrow E * T \mid T$$

$$T \Rightarrow T + F \mid F$$

$$F \Rightarrow (E) \mid G$$

$$G \Rightarrow G \text{ digit} \mid \text{digit}$$

has  $+$  farther down the list of rules and give addition precedence over multiplication

In general, with hierarchical grammars the farther down in the list of rules an operator appears, the greater its precedence will be.

There is another property grammars give languages. Consider the two grammars

$$E \Rightarrow E-T \mid T$$

$$T \Rightarrow (E) \mid G$$

$$G \Rightarrow G \text{ digit} \mid \text{digit}$$

and

$$E \Rightarrow T-E \mid T$$

$$T \Rightarrow (E) \mid G$$

$$G \Rightarrow G \text{ digit} \mid \text{digit}$$



These differ only in whether the E-rule is left- or right-recursive.

We use these grammars to parse the string 10-5-3

$E \Rightarrow E-T \mid T$

$T \Rightarrow (E) \mid G$

$G \Rightarrow G \text{ digit} \mid \text{digit}$



$E \Rightarrow T-E \mid T$

$T \Rightarrow (E) \mid G$

$G \Rightarrow G \text{ digit} \mid \text{digit}$

Note that the left parse tree evaluates to 2 while the right one evaluates to 8.

In general, left-recursive rules lead to left-associative operators while right-recursive rules lead to right-associative operators. We want most of the standard arithmetic operators to be left-associative, so we use rules such as  $E \Rightarrow E+T$ .