

# Properties of Context-Free Languages

An easy way to prove a bunch of properties of Context-Free languages is through the idea of a *substitution*. Let  $\Sigma$  be a finite alphabet and suppose that for each letter  $a$  in  $\Sigma$  we have a language  $S(a)$ . If  $w = a_1 \dots a_n$  is a string in  $\Sigma^*$  we can say that  $S(w)$  is the concatenation  $S(a_1) \dots S(a_n)$ . If  $L$  is a language over  $\Sigma$  we say that  $S(L) = \bigcup_{w \in L} S(w)$

For example, if we let  $\Sigma = \{0, 1\}$  and  $S(0) = \{a^n b^n \mid n \geq 1\}$  and  $S(1) = \{a^n \mid n \geq 1\}$  then  $S(001) = \{a^n b^n a^m b^m a^k \mid n, m, k \geq 1\}$

**Theorem:** If  $L$  is a context-free language over  $\Sigma$  and  $S(a)$  is context-free for each  $a$  in  $\Sigma$ , then  $S(L)$  is context-free.

**Proof:** Start with the grammars for each  $S(a)$  and rewrite them so they have no nonterminal symbols in common. Take a Chomsky Normal Form grammar for  $L$  and rewrite it so it has no nonterminal symbols in common with any of the  $S(a)$  grammars. Each grammar rule for  $L$  has either the form  $A \Rightarrow BC$  or  $A \Rightarrow a$ . Replace each  $A \Rightarrow a$  rule by  $A \Rightarrow \text{Start}(a)$ , where  $\text{Start}(a)$  is the start symbol for the  $S(a)$  grammar. This gives a context free grammar for  $S(L)$ . ( Two simple inductions show that this grammar derives  $w$  if and only if  $w$  is in  $S(L)$ ).

**Theorem:** If languages  $L_1$  and  $L_2$  are context-free then so are  $L_1 \cup L_2$ ,  $L_1 L_2$  and  $(L_1)^*$ .

Proof: Let  $\Sigma$  be  $\{0,1\}$ , let  $S(0)=L_1$  and let  $S(1)=L_2$ . Then

- a)  $\{0,1\}$  is context-free, and  $S(\{0,1\}) = L_1 \cup L_2$ .
- b)  $\{01\}$  is context-free, and  $S(\{01\}) = L_1 L_2$
- c)  $0^*$  is context-free and  $S(0^*) = (L_1)^*$ .

However, note that context-free languages are not closed under intersection.

**Example:** Let  $L_1 = \{0^n 1^n 2^j \mid n, j \geq 0\}$  and let  $L_2 = \{0^k 1^m 2^m \mid k, m \geq 0\}$ . These are both context-free languages but  $L_1 \cap L_2 = \{0^n 1^n 2^n \mid n \geq 0\}$  and this is not context-free.

Note that this tells us that complements and differences of context-free languages are not necessarily context-free, for if they were intersections would also be context-free.

Theorem: If  $L$  is context-free and  $R$  is regular, then  $L \cap R$  is context-free.

Proof: Start with a PDA that accepts  $L$  by final state and a DFA that accepts  $R$ . Make a new PDA whose states are pairs of states from  $L$  and  $R$ . If  $L$  has transition  $\delta(q, a, X) = (q', y)$  and  $R$  has transition  $\delta(r, a) = r'$  then make transition for the new PDA  $\delta((q, r), a, X) = ((q', r'), Y)$ . The final states of the new PDA are  $\{(q, r) \mid q \text{ is final for } L \text{ and } r \text{ is final for } R\}$ . This new PDA accepts string  $w$  if and only if  $w$  is accepted by both  $L$  and  $R$ .

Why can't we do this with 2 PDAs?

Theorem: If  $L$  is context-free and  $R$  is regular then  $L \cdot R$  is context-free.

Proof:  $LR = L \cap R^c$  and  $R^c$  is regular.

Theorem: If  $L$  is context-free then  $L^{\text{rev}}$  is also context-free.

Proof: Start with a Chomsky Normal Form grammar for  $L$ . Replace any rule  $A \Rightarrow BC$  with the rule  $A \Rightarrow CB$ . An induction on the length of derivations shows that this is a grammar for  $L^{\text{rev}}$ .

See example next slide

For example, a grammar for  $\{a^n b^m \mid n > 0, m \geq 0\}$  is

$$A \Rightarrow AB \mid AA \mid a$$
$$B \Rightarrow BB \mid b$$

The grammar

$$A \Rightarrow BA \mid AA \mid a$$
$$B \Rightarrow .BB \mid b$$

creates the language  $\{b^m a^n \mid n > 0, m \geq 0\}$



## Decision Algorithms for Context-Free Languages:

We can determine if a given string  $w$  is in a given context-free language: either convert the grammar to CNF and generate all possible parse trees of height  $\log(|w|)$  or generate all possible configurations starting from  $w$ .

We can determine if a context-free language is empty or infinite; these are homework questions.

Most other questions regarding context-free languages are undecidable, including:

- Are two context-free languages the same?
- Is the intersection of two context-free languages empty?
- Is a context-free language  $\Sigma^*$ ?
- Is a given grammar ambiguous?
- Is a given language inherently ambiguous?