

Properties of Context-Free Languages

An easy way to prove a bunch of properties of Context-Free languages is through the idea of a *substitution*. Let Σ be a finite alphabet and suppose that for each letter a in Σ we have a language $S(a)$. If $w=a_1...a_n$ is a string in Σ^* we can say that $S(w)$ is the concatenation $S(a_1)...S(a_n)$. If L is a language over Σ we say that
$$S(L) = \bigcup_{w \in L} S(w)$$

For example, if we let $\Sigma=\{0,1\}$ and $S(0)=\{a^n b^n \mid n \geq 1\}$ and $S(1) = \{a^n \mid n \geq 1\}$ then $S(001) = \{a^n b^n a^m b^m a^k \mid n, m, k \geq 1\}$

Theorem: If L is a context-free language over Σ and $S(a)$ is context-free for each a in Σ , then $S(L)$ is context-free.

Proof: Start with the grammars for each $S(a)$ and rewrite them so they have no nonterminal symbols in common. Take a Chomsky Normal Form grammar for L and rewrite it so it has no nonterminal symbols in common with any of the $S(a)$ grammars. Each grammar rule for L has either the form $A \Rightarrow BC$ or $A \Rightarrow a$. Replace each $A \Rightarrow a$ rule by $A \Rightarrow \text{Start}(a)$, where $\text{Start}(a)$ is the start symbol for the $S(a)$ grammar. This gives a context free grammar for $S(L)$. (Two simple inductions show that this grammar derives w if and only if w is in $S(L)$).

Theorem: If languages L_1 and L_2 are context-free then so are $L_1 \cup L_2$, $L_1 L_2$ and $(L_1)^*$.

Proof: Let Σ be $\{0,1\}$, let $S(0)=L_1$ and let $S(1)=L_2$. Then

- a) $\{0,1\}$ is context-free, and $S(\{0,1\}) = L_1 \cup L_2$.
- b) $\{01\}$ is context-free, and $S(\{01\}) = L_1 L_2$
- c) 0^* is context-free and $S(0^*) = (L_1)^*$.

However, note that context-free languages are not closed under intersection.

Example: Let $L_1 = \{0^n 1^n 2^j \mid n, j \geq 0\}$ and let $L_2 = \{0^k 1^m 2^m \mid k, m \geq 0\}$. These are both context-free languages but $L_1 \cap L_2 = \{0^n 1^n 2^n \mid n \geq 0\}$ and this is not context-free.

Note that this tells us that complements and differences of context-free languages are not necessarily context-free, for if they were intersections would also be context-free.

Theorem: If L is context-free and R is regular, then $L \cap R$ is context-free.

Proof: Start with a PDA that accepts L by final state and a DFA that accepts R . Make a new PDA whose states are pairs of states from L and R . If L has transition $\delta(q, a, X) = (q', y)$ and R has transition $\delta(r, a) = r'$ then make transition for the new PDA $\delta((q, r), a, X) = ((q', r'), Y)$. The final states of the new PDA are $\{(q, r) \mid q \text{ is final for } L \text{ and } r \text{ is final for } R\}$. This new PDA accepts string w if and only if w is accepted by both L and R .

Why can't we do this with 2 PDAs?

Theorem: If L is context-free and R is regular then $L-R$ is context-free.

Proof: $L-R = L \cap R^c$ and R^c is regular.

Theorem: If L is context-free then L^{rev} is also context-free.

Proof: Start with a Chomsky Normal Form grammar for L . Replace any rule $A \Rightarrow BC$ with the rule $A \Rightarrow CB$. An induction on the length of derivations shows that this is a grammar for L^{rev} .

See example next slide

For example, a grammar for $\{a^n b^m \mid n > 0, m \geq 0\}$ is

$$A \Rightarrow AB \mid AA \mid a$$
$$B \Rightarrow BB \mid b$$

The grammar

$$A \Rightarrow BA \mid AA \mid a$$
$$B \Rightarrow BB \mid b$$

creates the language $\{b^m a^n \mid n > 0, m \geq 0\}$

Decision Algorithms for Context-Free Languages:

We can determine if a given string w is in a given context-free language: either convert the grammar to CNF and generate all possible parse trees of height $\log(|w|)$ or generate all possible configurations starting from w .

We can determine if a context-free language is empty or infinite; these are homework questions.

Most other questions regarding context-free languages are undecidable, including:

- Are two context-free languages the same?
- Is the intersection of two context-free languages empty?
- Is a context-free language Σ^* ?
- Is a given grammar ambiguous?
- Is a given language inherently ambiguous?